

S200

480Y/277 VAC

Supplemental protectors

B UL 1077 CSA C22.2 No. 235
VDE 0641 IEC-898
Cable protection



S201-B, 1 pole



S202-B, 2 pole
S201-BNA, 1 P+N




S203-B, 3 pole



S204-B, 4 pole
S203-BNA, 3P+N

B



Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
1 pole					
6	S201-B6	\$ 36			
10	S201-B10	36			
13	S201-B13	36			
16	S201-B16	36			
20	S201-B20	38			
25	S201-B25	38	A	10	4.5
32	S201-B32	40			
40	S201-B40	42			
50	S201-B50	48			
63	S201-B63	56			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
1 pole + neutral					
6	S201-B6NA	62			
10	S201-B10NA	62			
13	S201-B13NA	62			
16	S201-B16NA	62			
20	S201-B20NA	68			
25	S201-B25NA	72	B	5	9.0
32	S201-B32NA	74			
40	S201-B40NA	76			
50	S201-B50NA	90			
63	S201-B63NA	102			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
2 pole					
6	S202-B6	78			
10	S202-B10	78			
13	S202-B13	78			
16	S202-B16	78			
20	S202-B20	86			
25	S202-B25	88	A	5	9.0
32	S202-B32	94			
40	S202-B40	98			
50	S202-B50	112			
63	S202-B63	128			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
3 pole					
6	S203-B6	\$ 118			
10	S203-B10	118			
13	S203-B13	118			
16	S203-B16	118			
20	S203-B20	130			
25	S203-B25	132	A	1	13.5
32	S203-B32	142			
40	S203-B40	148			
50	S203-B50	170			
63	S203-B63	194			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
3 pole + neutral					
6	S203-B6NA	142			
10	S203-B10NA	142			
13	S203-B13NA	142			
16	S203-B16NA	142			
20	S203-B20NA	162			
25	S203-B25NA	168	B	1	18.0
32	S203-B32NA	176			
40	S203-B40NA	184			
50	S203-B50NA	212			
63	S203-B63NA	240			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
4 pole					
6	S204-B6	156			
10	S204-B10	156			
13	S204-B13	156			
16	S204-B16	156			
20	S204-B20	172			
25	S204-B25	176	B	1	18.0
32	S204-B32	188			
40	S204-B40	196			
50	S204-B50	224			
63	S204-B63	256			

Delivery Class

- A** - Standard item, stock to 2 weeks lead time
- B** - Stock to 4 weeks lead time
- C** - 6 to 8 week lead time

S200

480Y/277 VAC

Supplemental protectors

System pro M
S200 Series

C UL 1077 CSA C22.2 - NO. 235
VDE 0641 IEC-898
Cable & equipment protection




S201-C, 1 pole



S202-C, 2 pole
S201-CNA, 1P+N




S203-C, 3 pole



S204-C, 4 pole
S203-CNA, 3P+N

C



Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
1 pole					
0.5	S201-C0.5	\$ 42			
1	S201-C1	42			
1.6	S201-C1.6	42			
2	S201-C2	42			
3	S201-C3	42			
4	S201-C4	42			
6	S201-C6	42			
8	S201-C8	42			
10	S201-C10	42	A	10	4.5
13	S201-C13	42			
16	S201-C16	42			
20	S201-C20	42			
25	S201-C25	46			
32	S201-C32	48			
40	S201-C40	52			
50	S201-C50	60			
63	S201-C63	68			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
1 pole + neutral					
0.5	S201-C0.5NA	84			
1	S201-C1NA	84			
1.6	S201-C1.6NA	84			
2	S201-C2NA	84			
3	S201-C3NA	84			
4	S201-C4NA	84			
6	S201-C6NA	84			
8	S201-C8NA	84			
10	S201-C10NA	84	B	5	9.0
13	S201-C13NA	84			
16	S201-C16NA	84			
20	S201-C20NA	84			
25	S201-C25NA	88			
32	S201-C32NA	90			
40	S201-C40NA	96			
50	S201-C50NA	112			
63	S201-C63NA	130			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
2 pole					
0.5	S202-C0.5	96			
1	S202-C1	96			
1.6	S202-C1.6	96			
2	S202-C2	96			
3	S202-C3	96			
4	S202-C4	96			
6	S202-C6	96			
8	S202-C8	96			
10	S202-C10	96	A	5	9.0
13	S202-C13	96			
16	S202-C16	96			
20	S202-C20	96			
25	S202-C25	106			
32	S202-C32	106			
40	S202-C40	116			
50	S202-C50	136			
63	S202-C63	152			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
3 pole					
0.5	S203-C0.5	\$ 138			
1	S203-C1	138			
1.6	S203-C1.6	138			
2	S203-C2	138			
3	S203-C3	138			
4	S203-C4	138			
6	S203-C6	138			
8	S203-C8	138			
10	S203-C10	138	A	1	13.5
13	S203-C13	138			
16	S203-C16	138			
20	S203-C20	138			
25	S203-C25	156			
32	S203-C32	158			
40	S203-C40	174			
50	S203-C50	200			
63	S203-C63	228			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
3 pole + neutral					
0.5	S203-C0.5NA	200			
1	S203-C1NA	200			
1.6	S203-C1.6NA	200			
2	S203-C2NA	200			
3	S203-C3NA	200			
4	S203-C4NA	200			
6	S203-C6NA	200			
8	S203-C8NA	200			
10	S203-C10NA	200	B	1	18.0
13	S203-C13NA	200			
16	S203-C16NA	200			
20	S203-C20NA	200			
25	S203-C25NA	206			
32	S203-C32NA	212			
40	S203-C40NA	224			
50	S203-C50NA	204			
63	S203-C63NA	304			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
4 pole					
0.5	S204-C0.5	218			
1	S204-C1	218			
1.6	S204-C1.6	218			
2	S204-C2	218			
3	S204-C3	218			
4	S204-C4	218			
6	S204-C6	218			
8	S204-C8	218			
10	S204-C10	218	B	1	18.0
13	S204-C13	218			
16	S204-C16	218			
20	S204-C20	218			
25	S204-C25	234			
32	S204-C32	238			
40	S204-C40	260			
50	S204-C50	300			
63	S204-C63	338			

Delivery Class

- A** - Standard item, stock to 2 weeks lead time
- B** - Stock to 4 weeks lead time
- C** - 6 to 8 week lead time

S200

480Y/277 VAC

Supplemental protectors


D UL 1077 CSA C22.2
VDE 0641 IEC-898
Cable & equipment protection



S201-D, 1 pole



S202-D, 2 pole




S203-D, 3 pole

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
1 pole					
0.5	S201-D0.5	\$ 42			
1	S201-D1	42			
1.6	S201-D1.6	42			
2	S201-D2	42			
3	S201-D3	42			
4	S201-D4	42			
6	S201-D6	42			
8	S201-D8	42			
10	S201-D10	42	A	10	4.5
13	S201-D13	42			
16	S201-D16	42			
20	S201-D20	42			
25	S201-D25	46			
32	S201-D32	48			
40	S201-D40	52			
50	S201-D50	60			
63	S201-D63	68			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
3 pole					
0.5	S203-D0.5	\$ 138			
1	S203-D1	138			
1.6	S203-D1.6	138			
2	S203-D2	138			
3	S203-D3	138			
4	S203-D4	138			
6	S203-D6	138			
8	S203-D8	138	A	1	13.5
10	S203-D10	138			
13	S203-D13	138			
16	S203-D16	138			
20	S203-D20	138			
25	S203-D25	156			
32	S203-D32	158			
40	S203-D40	174			
50	S203-D50	200			
63	S203-D63	228			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
2 pole					
0.5	S202-D0.5	96			
1	S202-D1	96			
1.6	S202-D1.6	96			
2	S202-D2	96			
3	S202-D3	96			
4	S202-D4	96			
6	S202-D6	96			
8	S202-D8	96	A	5	9.0
10	S202-D10	96			
13	S202-D13	96			
16	S202-D16	96			
20	S202-D20	96			
25	S202-D25	106			
32	S202-D32	106			
40	S202-D40	116			
50	S202-D50	136			
63	S202-D63	152			

D



S200

480Y/277 VAC

Supplemental protectors

System pro M
S200 Series

K UL 1077 CSA C22.2 - NO. 235
VDE 0641 IEC-898
Cable & equipment protection




S201-K, 1 pole



S202-K, 2 pole
S201-KNA, 1P+N




S203-K, 3 pole



S204-K, 4 pole
S203-KNA, 3P+N

K



Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
1 pole					
0.5	S201-K0.5	\$ 42			
1	S201-K1	42			
1.6	S201-K1.6	42			
2	S201-K2	42			
3	S201-K3	42			
4	S201-K4	42			
5	S201-K5	42			
6	S201-K6	42			
8	S201-K8	42			
10	S201-K10	42			
13	S201-K13	42	A	10	4.5
15	S201-K15	42			
16	S201-K16	42			
20	S201-K20	42			
25	S201-K25	46			
30	S201-K30	48			
32	S201-K32	48			
40	S201-K40	52			
50	S201-K50	60			
60	S201-K60	68			
63	S201-K63	68			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
1 pole + neutral					
0.5	S201-K0.5NA	84			
1	S201-K1NA	84			
1.6	S201-K1.6NA	84			
2	S201-K2NA	84			
3	S201-K3NA	84			
4	S201-K4NA	84			
6	S201-K6NA	84			
8	S201-K8NA	84			
10	S201-K10NA	84	B	5	9.0
13	S201-K13NA	84			
16	S201-K16NA	84			
20	S201-K20NA	84			
25	S201-K25NA	88			
32	S201-K32NA	90			
40	S201-K40NA	96			
50	S201-K50NA	112			
63	S201-K63NA	130			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
2 pole					
0.5	S202-K0.5	96			
1	S202-K1	96			
1.6	S202-K1.6	96			
2	S202-K2	96			
3	S202-K3	96			
4	S202-K4	96			
5	S202-K5	96			
6	S202-K6	96			
8	S202-K8	96			
10	S202-K10	96	A	5	9.0
13	S202-K13	96			
15	S202-K15	96			
16	S202-K16	96			
20	S202-K20	96			
25	S202-K25	106			
30	S202-K30	106			
32	S202-K32	106			
40	S202-K40	116			
50	S202-K50	136			
60	S202-K60	152			
63	S202-K63	152			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
3 pole					
0.5	S203-K0.5	\$ 138			
1	S203-K1	138			
1.6	S203-K1.6	138			
2	S203-K2	138			
3	S203-K3	138			
4	S203-K4	138			
5	S203-K5	138			
6	S203-K6	138			
8	S203-K8	138			
10	S203-K10	138			
13	S203-K13	138	A	1	13.5
15	S203-K15	138			
16	S203-K16	138			
20	S203-K20	138			
25	S203-K25	156			
30	S203-K30	158			
32	S203-K32	158			
40	S203-K40	174			
50	S203-K50	200			
60	S203-K60	228			
63	S203-K63	228			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
3 pole + neutral					
0.5	S203-K0.5NA	200			
1	S203-K1NA	200			
1.6	S203-K1.6NA	200			
2	S203-K2NA	200			
3	S203-K3NA	200			
4	S203-K4NA	200			
6	S203-K6NA	200			
8	S203-K8NA	200			
10	S203-K10NA	200	B	1	18.0
13	S203-K13NA	200			
16	S203-K16NA	200			
20	S203-K20NA	200			
25	S203-K25NA	206			
32	S203-K32NA	212			
40	S203-K40NA	224			
50	S203-K50NA	264			
63	S203-K63NA	304			

Rated current	Catalog number	List price	Delivery class	Sugg. order qty	Wgt. oz. (1 pc.)
4 pole					
0.5	S204-K0.5	218			
1	S204-K1	218			
1.6	S204-K1.6	218			
2	S204-K2	218			
3	S204-K3	218			
4	S204-K4	218			
6	S204-K6	218			
8	S204-K8	218			
10	S204-K10	218	B	1	18.0
13	S204-K13	218			
16	S204-K16	218			
20	S204-K20	218			
25	S204-K25	234			
32	S204-K32	238			
40	S204-K40	260			
50	S204-K50	300			
63	S204-K63	338			

Delivery Class
A - Standard item, stock to 2 weeks lead time
B - Stock to 4 weeks lead time
C - 6 to 8 week lead time